

# CONVERTEX

TESSUTI ELASTICI MADE IN ITALY

CONVERTEX SRL - Sede Legale: Via Volturmo 2/C, 00185 Roma - Sede Operativa: Via Colalillo, 86021 Bojano CB - P. Iva 02017750429  
tel 0874.778050, 380.7591909 - fax 0874 782327 - numero verde 840 690309 - info@convertex.it - ww.convertex.it - cap. soc. € 200.000

## TECHNICAL DATA SHEET

July 2023

Fabric

### TRANSFERT 180

(warp knit fabric – NC other: 6004 1000)

<b>COMPOSIZIONE</b> <b>COMPOSITION</b>	<b>ELASTAN</b> <b>POLYESTER SHINY</b>	<b>20%</b> <b>80%</b>
<b>PESO</b> <b>WEIGHT</b>	<b>180 GM/M2 +- 5%</b>	<b>ALTEZZA</b> <b>150 CM</b> <b>WIDTH</b> <b>+- 3%</b>
<b>COLONNE/CM</b> <b>WALES/CM</b>	<b>26</b>	<b>MAGLIE/CM</b> <b>COURSES/CM</b> <b>42</b>
<b>FINEZZA TELAIO</b> <b>MACHINE GAUGE</b>	<b>32 E</b>	<b>ALTEZZA TELAIO</b> <b>MACHINE WIDTH</b> <b>130"</b>
<b>STABILITA' DIMENSIONALE</b> <b>LAVAGGIO 40°C</b> <b>DIMENSIONAL STABILITY</b> <b>WASHING 40°C</b>		<b>TRAMA WEFT</b> <b>+2% - 4%</b> <b>ORDITO WARP</b> <b>+2% - 4%</b>
<b>PROVE DINAMOMETRO ELETTRONICO</b> <b>ELECTRONIC DYNAMOMETER TESTS</b>		<b>TRAMA WEFT</b> <b>110%+- 20%</b> <b>ORDITO WARP</b> <b>150%+- 20%</b>

MACCHINA: ACQUATI CARICO 20 N VELOCITA' 25 CM/MIN CAMPIONE 50x100 MM SCALA 0 – 20 N  
MACHINE LOAD SPEED SAMPLE SCALE

<b>PROVE ALLUNGAMENTO MANUALE</b> <b>HAND ELONGATION TESTS</b>	<b>TRAMA WEFT</b> <b>120%+- 20%</b> <b>ORDITO WARP</b> <b>160%+- 20%</b>
---	---

U.P.F. (ultraviolet protection factor)  
AS/NZS 4399 1996

bianco x stampa 40  
white for print



OEKO-TEX STANDARD 100 N° 1000783.O

PLEASE TEST EACH DYE BATCH/DELIVERY BEFORE PRINTING, CUTTING, SEWING, ETC.

PER MIGLIORARE IL PRODOTTO, CI RISERVIAMO DI APPORTARE QUALSIASI MODIFICA IN QUALSIASI MOMENTO  
WE RESERVE THE RIGHT TO VARY THE ABOVE DATA, AS AND WHEN NECESSARY, TO IMPROVE OUR PRODUCT